

Singer Symptom Decision Tree

All singers must self-screen for potential COVID-19 symptoms of exposure

Low-risk: general symptoms

High-risk: red-flag symptoms



Fever ($\geq 100.4^\circ$ F)



Sore throat



Cough



Congestion/runny nose



Headache



Difficulty breathing



Nausea/vomiting/diarrhea



Fatigue/muscle
Or body aches



Loss of taste/smell

Exposure to COVID-19 positive person?

Close contact: less than 6 feet, 15 minutes or longer

NO

1 low risk symptom



Stay home



Return to rehearsals 24 hrs after symptom resolution (without fever reducing medication)

≥ 2 low risk symptoms
OR 1 high risk symptom



Stay home



Evaluation by health care provider

1

Health care provider confirms alternative diagnosis for symptoms. A health care provider's note must be on file. SARS-CoV-2 PCR test not needed.



Return to rehearsals 24 hrs without fever, and symptoms improving

2

Negative SARS-CoV-2 PCR test.



Return to rehearsals 24 hrs without fever, and symptoms improving

3

Positive SARS-CoV-2 PCR test
OR
No provider visit or test.



Return to rehearsals only after 10 days since symptom onset and 24 hrs without fever. Quarantine close contacts of confirmed cases. If any questions, contact local health care provider.

YES



Stay home*



Return to rehearsals after 14 days from last contact, unless symptoms develop. If symptoms develop, perform SARS-CoV-2 PCR test.

*In consultation with local health care provider